


1
C

Diamant-Bornitrid-
Schleifstifte
Zylinderform


Best.-Nr.	Kopf-Ø mm	D	Belaglänge mm	T	Schaft-Ø mm	Y	Halslänge mm	L ₁	Gesamtlänge mm	L	Körnung
 Schaft-Ø 6 mm											
D-S 111/20	2,0		4		Ø 6 mm	S	20		60		Diamant
D-S 111/25	2,5		4				20		60		
D-S 111/30	3,0		5				20		60		
D-S 111/35	3,5		5				20		60		
D-S 111/40	4,0		7				20		60		
D-S 111/45	4,5		7				20		60		
D-S 111/50	5,0		7				20		60		
D-S 111/55	5,5		7				20		60		
D-S 111	6,0		7				20		60		
D-S 111/20 VH	2,0	*VHM	4				Ø 6 mm	*VHM	20		
D-S 111/25 VH	2,5	*VHM	4		20				60		
D-S 111/30 VH	3,0	*VHM	5		20				60		
D-S 111/35 VH	3,5	*VHM	5		20				60		
D-S 111/40 VH	4,0	*VHM	7		20				60		
D-S 111/45 VH	4,5	*VHM	7		20				60		
D-S 111/50 VH	5,0	*VHM	7		20				60		
D-S 111/55 VH	5,5	*VHM	7		20				60		
D-S 111 VH	6,0	*VHM	7		20				60		
D-S 111/20	2,0		4		Ø 6 mm	S			20		60
D-S 111/25	2,5		4				20		60		
D-S 111/30	3,0		5				20		60		
D-S 111/35	3,5		5				20		60		
D-S 111/40	4,0		7				20		60		
D-S 111/45	4,5		7				20		60		
D-S 111/50	5,0		7				20		60		
D-S 111/55	5,5		7				20		60		
D-S 111	6,0		7				20		60		
D-S 111 VH	6,0	*VHM	7				20		60		


*VHM ... Voll-Hart-Metall

S ... Stahl

1
d

* Auf Wunsch
Belag 10 mm

Best.-Nr.	Kopf-Ø mm	D	Belaglänge mm	T	Schaft-Ø mm	Y	Halslänge mm	L ₁	Gesamtlänge mm	L	Körnung
 Schaft-Ø 6 mm											
D-S 112	7,0		10		Ø 6 mm	S			60		Diamant
D-S 113	8,0		10						60		
D-S 114	9,0		10						60		
D-S 115	10,0		10						60		
D-S 116	12,0		15/10 *						60		
D-S 117	15,0		15/10 *						60		
D-S 112	7,0		10		Ø 6 mm	S			60		B 30
D-S 113	8,0		10						60		
D-S 114	9,0		10						60		
D-S 115	10,0		10						60		
D-S 116	12,0		15/10 *						60		
D-S 117	15,0		15/10 *						60		




3_a

Diamant-
Bornitrid-
Schleifstifte
Zylinderform

Best.-Nr.	Kopf-Ø		Belaglänge		Schaft-Ø		Halslänge		Gesamtlänge		Körnung mm
	mm	D	mm	T	mm	Y	mm	L ₁	mm	L	
D-S 800	0,8		4		3	S	9		55		Diamant
D-S 801	1,0		4		3	S	9		55		
D-S 802	1,3		4		3	S	13		55		D 252
D-S 803	1,5		4		3	S	13		55		
D-S 804	1,8		4		3	S	13		55		B 252
D-S 805	2,0		4		3	S	16		55		
D-S 806	2,5		4		3	S	16		55		D 181
D-S 807	3,0		5		3	S	20		55		
D-S 800 VH	0,8	*VHM	4		3	*VHM	9		55		B 181
D-S 801 VH	1,0	*VHM	4		3	*VHM	9		55		
D-S 802 VH	1,3	*VHM	4		3	*VHM	13		55		D 151
D-S 803 VH	1,5	*VHM	4		3	*VHM	13		55		
D-S 804 VH	1,8	*VHM	4		3	*VHM	13		55		B 151
D-S 805 VH	2,0	*VHM	4		3	*VHM	16		55		
D-S 806 VH	2,5	*VHM	4		3	*VHM	16		55		D 126
D-S 807 VH	3,0	*VHM	5		3	*VHM	20		55		
D-S 808	3,5		5		3	S	-		55		B 126
D-S 809	4,0		5		3	S	-		55		
D-S 810	4,5		5		3	S	-		55		D 107
D-S 811	5,0		5		3	S	-		55		
D-S 812	5,0		7		6	S	25		75		B 107
D-S 813	6,0		7		6	S	30		75		
D-S 814	7,0		8		6	S	-		75		D 91
D-S 815	8,0		8		6	S	-		75		
D-S 816	10,0		10		6	S	-		90		B 91
D-S 817	12,0		10		10	S	-		90		
D-S 819	15,0		10		10	S	-		90		D 76
D-S 820	3,0		4		6	S	36		90		
D-S 821	4,0		5		6	S	36		90		B 76
D-S 822	5,0		6		6	S	36		90		
D-S 823	6,0		7		6	S	45		90		D 64
D-S 824	8,0		8		6	S	-		90		
D-S 825	8,6		8		8	S	-		110		B 64
D-S 826	10,0		10		8	S	-		110		
D-S 827	10,6		10		10	S	-		110		D 64
D-S 828	12,0		10		10	S	-		110		
D-S 829	15,0		10		10	S	-		110		B 64

*VHM Voll-Hart-Metall

S ...Stahl




10_a

Diamant-
Bornitrid-
Schleifstifte
Zylinderform

Best.-Nr.	Kopf-Ø mm	D	Schaft-Ø mm	Y	Gesamtlänge mm	L	Belaglänge mm	T	Körnung mm
D-S 401	4,5	4,0	S		50		5		Diamant
D-S 402					75				
D-S 403	5,0	4,0	S		50		5	D 252	B 252
D-S 404					75				
D-S 405	5,5	4,0	S		50		5	D 181	B 181
D-S 406					60				
D-S 407		5,0	S		50				
D-S 408					70				
D-S 409	80								
D-S 410	6,0	4,0	S		50		6	D 151	B 151
D-S 411					60				
D-S 412		5,0	S		50				
D-S 413					70				
D-S 414	80								
D-S 415	6,5	5,0	S		50		6	D 107	B 107
D-S 416					70				
D-S 417					80				
D-S 418		6,0	S		70				
D-S 419					80				
D-S 420					100				
D-S 421	7,0	6,0	S		70		10,0	D 76	B 76
D-S 422					80				
D-S 423					100				
D-S 424	7,5	6,0	S		70		10,0	D 64	B 64
D-S 425					80				
D-S 426					100				
D-S 427					70				
D-S 428	8,0	6,0	S		80		10,0	D 54	B 54
D-S 429					100				
D-S 430					70				
D-S 431	8,5	6,0	S		80		10,0	D 46	B 46
D-S 432					100				
D-S 433		8,0	S		70				
D-S 434					80				
D-S 435					100				
D-S 436	9,0	6,0	S		70		10,0	D 20	Bornitrid
D-S 437					80				
D-S 438		8,0	S		100				
D-S 439					70				
D-S 440					80				
D-S 441	100								

S Stahl

Auf Wunsch Belaglänge 8 mm





10_a

Diamant-
Bornitrid-
Schleifstifte
Zylinderform

Best.-Nr.	Kopf-Ø mm	D	Schaft-Ø mm	Y	Gesamtlänge mm	L	Belaglänge mm	T	Körnung mm							
D-S 442	9,5	9,5	6,0	S	70	10,0	10,0		Diamant	Bornitrid						
D-S 443					80											
D-S 444			8,0	S	100											
D-S 445					70											
D-S 446			10,0	10,0	6,0						S	80	10,0	10,0	D 252	B 252
D-S 447												100				
D-S 448	8,0	S			70											
D-S 449					80											
D-S 450	10,5	10,5			6,0	S	100	15,0	15,0	D 181	B 181					
D-S 451							70									
D-S 452			8,0	S	80											
D-S 453					100											
D-S 454			10,0	10,0	6,0	S	70					15,0	15,0	D 151	B 151	
D-S 455							80									
D-S 456	8,0	S			100											
D-S 457					70											
D-S 458	11,0	11,0			8,0	S	80	15,0	15,0	D 126	B 126					
D-S 459							100									
D-S 460			10,0	S	80											
D-S 461					100											
D-S 462			11,5	11,5	10,0	S	120					15,0	15,0	D 107	B 107	
D-S 463							70									
D-S 464	6,0	S			80											
D-S 465					100											
D-S 466	12,0	12,0			8,0	S	70	15,0	15,0	D 91	B 91					
D-S 467							80									
D-S 468			10,0	S	100											
D-S 469					80											
D-S 470			11,0	11,0	6,0	S	100					15,0	15,0	D 76	B 76	
D-S 471							120									
D-S 472	8,0	S			70											
D-S 473					80											
D-S 474	11,5	11,5			8,0	S	100	15,0	15,0	D 64	B 64					
D-S 475							70									
D-S 476			10,0	S	80											
D-S 477					100											
D-S 478			12,0	12,0	10,0	S	80					15,0	15,0	D 54	B 54	
D-S 479							100									
D-S 480	6,0	S			120											
D-S 481					70											
D-S 482	11,0	11,0			8,0	S	80	15,0	15,0	D 46	B 46					
D-S 483							100									
D-S 484			10,0	S	70											
D-S 485					80											
D-S 486			12,0	12,0	6,0	S	100					15,0	15,0	D 30	B 30	
D-S 487							80									
D-S 488	8,0	S			100											
D-S 489					120											

S Stahl

Auf Wunsch Belaglänge 10 mm




10_a

Diamant-
Bornitrid-
Schleifstifte
Zylinderform

Best.-Nr.	Kopf-Ø mm	D	Schaft-Ø mm	Y	Gesamtlänge mm	L	Belaglänge mm	T	Körnung mm
D-S 490	12,5	12,5	6,0	S	70	15,0	15,0		Diamant
D-S 491					80				
D-S 492					100				
D-S 493			70						
D-S 494			8,0	S	80				
D-S 495					100				
D-S 496					80				
D-S 497			10,0	S	100				
D-S 498					120				
D-S 499			13,0	13,0	6,0				
D-S 500	80								
D-S 501	100								
D-S 502	70								
D-S 503	8,0	S			80				
D-S 504					100				
D-S 505					80				
D-S 506	10,0	S			100				
D-S 507					120				
D-S 508	13,5	13,5			6,0	S	70	15,0	15,0
D-S 509			80						
D-S 510			100						
D-S 511			70						
D-S 512			8,0	S	80				
D-S 513					100				
D-S 514					80				
D-S 515			10,0	S	100				
D-S 516					120				
D-S 517			14,0	14,0	6,0	S	70		
D-S 518	80								
D-S 519	100								
D-S 520	70								
D-S 521	8,0	S			80				
D-S 522					100				
D-S 523					80				
D-S 524	10,0	S			100				
D-S 525					120				
D-S 526	14,5	14,5			6,0	S	70	15,0	15,0
D-S 527			80						
D-S 528			100						
D-S 529			70						
D-S 530			8,0	S	80				
D-S 531					100				
D-S 532					80				
D-S 533			10,0	S	100				
D-S 534					120				

Auf Wunsch Belaglänge 10 mm

S Stahl




10_a

Diamant-
Bornitrid-
Schleifstifte
Zylinderform

Best.-Nr.	Kopf-Ø mm	D	Schaft-Ø mm	Y	Gesamtlänge mm	L	Belaglänge mm	T	Körnung mm	
D-S 535	15,0	15,0	6,0	S	70	15,0	15,0	15,0	Diamant	Bornitrid
D-S 536					80					
D-S 537					100					
D-S 538			70							
D-S 539			8,0	S	80					
D-S 540			100							
D-S 541			80							
D-S 542			10,0	S	100					
D-S 543			120							
D-S 544			70							
D-S 545	6,0	S	80							
D-S 546	100									
D-S 547	70									
D-S 548	8,0	S	80							
D-S 549	100									
D-S 550	80									
D-S 551	10,0	S	100							
D-S 552	120									
D-S 553	70									
D-S 554	6,0	S	80							
D-S 555	100									
D-S 556	70									
D-S 557	8,0	S	80							
D-S 558	100									
D-S 559	80									
D-S 560	10,0	S	100							
D-S 561	120									
D-S 562	70									
D-S 563	6,0	S	80							
D-S 564	100									
D-S 565	70									
D-S 566	8,0	S	80							
D-S 567	100									
D-S 568	80									
D-S 569	10,0	S	100							
D-S 570	120									
D-S 571	70									
D-S 572	6,0	S	80							
D-S 573	100									
D-S 574	70									
D-S 575	8,0	S	80							
D-S 576	100									
D-S 577	80									
D-S 578	10,0	S	100							
D-S 579	120									

S Stahl

Auf Wunsch Belaglänge 10 mm



10_a

Diamant-
Bornitrid-
Schleifstifte
Zylinderform

Best.-Nr.	Kopf-Ø mm	D	Schaft-Ø mm	Y	Gesamtlänge mm	L	Belaglänge mm	T	Körnung mm			
D-S 580	17,5	17,5	6,0	S	70	15,0	15,0		Diamant			
D-S 581					80					8,0	S	100
D-S 582			70	10,0	S							80
D-S 583			80							10,0	S	100
D-S 584			70	10,0	S							120
D-S 585			80							10,0	S	70
D-S 586			80	10,0	S							80
D-S 587			100							10,0	S	100
D-S 588			120	10,0	S							70
D-S 589			70							18,0	6,0	S
D-S 590	80	8,0	S	100								
D-S 591	70			10,0	S	80						
D-S 592	80	10,0	S			100						
D-S 593	70			10,0	S	120						
D-S 594	80	10,0	S			70						
D-S 595	80			10,0	S	80						
D-S 596	100	10,0	S			100						
D-S 597	120			10,0	S	70						
D-S 598	70	18,5	8,0			S	80	15,0	15,0		Diamant	
D-S 599	80			10,0	S		100					
D-S 600	80		10,0			S	120					
D-S 601	70			10,0	S		70					
D-S 602	80		10,0			S	80					
D-S 603	100			10,0	S		100					
D-S 604	120		10,0			S	70					
D-S 605	70			19,0	8,0		S			80		15,0
D-S 606	100		10,0			S				100		
D-S 607	80				10,0		S			120		
D-S 608	80	10,0	S			70						
D-S 609	100				10,0	S	80					
D-S 610	120	10,0	S				100					
D-S 611	70				19,5	8,0	S	80	15,0	15,0	Diamant	
D-S 612	100	10,0	S					120				
D-S 613	80					10,0	S	70				
D-S 614	100	10,0	S					80				
D-S 615	120			10,0		S	100					
D-S 616	70	20,0	8,0				S	80				15,0
D-S 617	80			10,0		S		100				
D-S 618	80		10,0				S	120				
D-S 619	100			10,0		S		70				
D-S 620	80		10,0				S	80				
D-S 621	100			10,0	S	120						

Auf Wunsch Belaglänge 10 mm

S Stahl